


General		
Shape	Oval	
Seating Capacity	n/a	
Shell Material	DuraTex™	
Dimensions	90¼" x 192" x 52" H / (229cm X 488cm x 132cm H)	
Corner Radii	N/A	
Water Capacity	1700 Gallons (6440 Liters)	
Dry Weight	2500 lbs (1135 kg)	
Shipping Weight	2500 lbs (1135 kg)	
Full Weight	17100 lbs (7760 kg)	
Skirt Material	Wood or Synthetic optional	
Water System		
Water Treatment System	CD - Ozone*	
Plumbing Systems	2	
Filters/Coverage	2 / 75 sq. ft.	
Gate Valves	6	
VCR Jet® - Air Adjustable/Directional	0	
VCR Jet® - Rotator	0	
VCR Jet® - Dual Rotator	0	
VCR Jet® - Multi Port Spinner	0	
VCR Jet® - Mini Rotator	4	
VCR Jet® - Mini Directional	10	
VCR Jet® - Euro Directional	0	
VCR Jet® - Euro Rotator	0	
VCR Jet® - Mini Directional in NFJ	0	
Typhoon Jet	0	
Swim Jets	6	
Ozone Jet	1*	
Heater Return Jet	0	
Pump Returns	5	
Diverter Valves	1	
Floor Drains	1	
Skimmer	2 - 8" Weir	
Special Features		
NeckFlex® Jet Pillows	0	
Headrest Pillows	1	
Optimounts™	12	
Tether Mount	2	
Bar	1	
Swim Jet Air Valves	2	
Swim Tether	1	
Pump Information		
	<b>Domestic (60Hz)</b>	<b>Export (50Hz)</b>
Motor Size – Peak (Continuous) HP	5.0 (3.0) HP	3.6 (2.0) HP
Jet Pumps # of Pumps/Speed	One / Dual & Two / Single	One / Dual & Two / Single
Circulation pump	0	0
Electrical System		
	<b>Domestic (60Hz)</b>	<b>Export (50Hz)</b>
Voltage	240	230
Amperage	50/40	1x32 / 3x16 / 2x16
Heater	5.5 kW *	5.2 kW *
Thermostat	Electronic *	Electronic *
Light	2 Multi color LED**	2 Multi color LED**
Control System	Gecko Alliance*	Gecko Alliance*
Upper Control	Gecko Alliance*	Gecko Alliance*



- Note: 1. Subject to change without notice.  
 2. \* For builder's pack models the following equipment is not supplied.  
 Ozone Jets, water treatment system, heater, thermostat, upper control, control system and pumps.  
 3. \*\* Builder's pack light is an incandescent bulb

# AquaFit 16' Architectural Specification



**AFS MUST BE FULLY SUPPORTED OVER THE ENTIRE BASE.  
REFER TO D1 DOC-138 FOR INSTALLATION DETAILS.**

- Note: 1. Subject to change without notice.  
 2. Engineering specs may differ slightly from brochure.  
 3. Optional cabinets may add significant weight. Ask your dealer for exact details.  
 4. Pumps and control panels are not supplied with builder's pack.  
 5. This is the approximate location to bring power through the bottom of the spa.

- Legend**  
 Pump - P  
 Electrical - E  
 Lower Control Panel - LCP  
 Upper Control Panel - UCP

**Caution:**  
 Due to manufacturing tolerances there could be some minor differences between the actual spa and the drawing above. If site planning is critical to such tolerances, be sure to measure your actual spa.